

Solicitation Number: M8-091004-N**4X2 STRIPPED CHASSIS, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
75F.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: MT-45

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	N/A
MFG. MODEL CODE	MT45
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	14,200
WHEEL BASE min. in.	157

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	200
TORQUE (lb ft)	520
COOLING SYSTEM	COMPLY

Transmission

AUTOMATIC TRANSMISSION	ALLISON 5 SP
------------------------	--------------

Electrical

ALTERNATOR, MIN. (Amps)	130
BATTERY, MIN. (CCA)	700

Fuel

FUEL CAPACITY MIN GALLONS	30
---------------------------	----

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

POWER STEERING	COMPLY
----------------	--------

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
---------------------------------------	--------

Suspension

Solicitation Number: M8-091004-N**4X2 STRIPPED CHASSIS, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

SUSPENSION/SHOCKS

COMPLY

Tires and Wheels

LOAD RANGE

F

SPARE TIRE ASSEMBLY

FULL SIZE

TIRES

225/70R19.5

Warranty

OEM POWERTRAIN WARRANTY

2/UNLIMITED

OEM COMPREHENSIVE WARRANTY

3/UNLIMITED

Optional Equipment**Add Ship****OEM Data****Option Prices*****Engines*****YD** DIESEL ENGINE

6/??,240,560

\$ _____

E5 UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE

8/??,307,357

\$ _____

Alternative Fuel Engines**FB20** BIO DIESEL (B20) COMPATIBLE ENGINE

Stand Alone

\$ _____

E85 ETHANOL FLEXIBLE FUEL

N/A

\$ _____

Engine Accessories**EH** ENGINE BLOCK HEATER, OEM

Package

\$ _____

Transmission Accessories**PT** POWER TAKE OFF OPENING

Stand Alone

\$ _____

Rear Axle Differential**D3** SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC

Stand Alone

\$ _____

Drive Axle**D7** TOWING/MOUNTAIN RATIO

Stand Alone

\$ _____

Fuel**AF1** CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)

Package

\$ _____

Interior**SK** METRIC ODOMETER

Stand Alone

\$ _____

TS TILT STEERING

Package

\$ _____

CR CRUISE CONTROL

Package

\$ _____

Tires and Wheels**PLAB** TIRE PRESSURE MONITORING SYSTEM

N/A

\$ _____

TD DELETE SPARE TIRE ASSEMBLY

Stand Alone

\$ _____

TT ALL TERRAIN TREAD--REAR TIRES ONLY

Stand Alone

\$ _____

Delivery**CNS** CONSIGNEE DELIVERY (NO DEALER PREP)

Stand Alone

\$ _____

Delivery outside CONUS**CNSA** CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)

Stand Alone

\$ _____

CNSG CONSIGNEE DELIVERY GUAM (NO DEALER PREP)

Stand Alone

\$ _____

CNSH CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)

Stand Alone

\$ _____

Solicitation Number: M8-091004-N**4X2 STRIPPED CHASSIS, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	Stand Alone	\$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	\$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
75G.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: MT-45

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	N/A
MFG. MODEL CODE	MT45
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	19,500
WHEEL BASE min. in.	178

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	200
TORQUE (lb ft)	520
COOLING SYSTEM	COMPLY

Transmission

AUTOMATIC TRANSMISSION	ALLISON 5 SP
------------------------	--------------

Electrical

ALTERNATOR, MIN. (Amps)	130
BATTERY, MIN. (CCA)	700

Fuel

FUEL CAPACITY MIN GALLONS	60
---------------------------	----

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

POWER STEERING	COMPLY
----------------	--------

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
---------------------------------------	--------

Suspension

Solicitation Number: M8-091004-N**4X2 STRIPPED CHASSIS, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

SUSPENSION/SHOCKS

COMPLY

Tires and Wheels

LOAD RANGE

F

SPARE TIRE ASSEMBLY

FULL SIZE

TIRES

225/70R19.5

Warranty

OEM POWERTRAIN WARRANTY

2/UNLIMITED

OEM COMPREHENSIVE WARRANTY

3/UNLIMITED

Optional Equipment**Add Ship****OEM Data****Option Prices*****Engines*****YD** DIESEL ENGINE

6/??,260,620

\$ _____

E5 UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE

8/??,307,357

\$ _____

Alternative Fuel Engines**FB20** BIO DIESEL (B20) COMPATIBLE ENGINE

Stand Alone

\$ _____

E85 ETHANOL FLEXIBLE FUEL

N/A

\$ _____

Engine Accessories**EH** ENGINE BLOCK HEATER, OEM

Package

\$ _____

Transmission Accessories**PT** POWER TAKE OFF OPENING

Stand Alone

\$ _____

Rear Axle Differential**D3** SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC

Stand Alone

\$ _____

Drive Axle**D7** TOWING/MOUNTAIN RATIO

Stand Alone

\$ _____

Fuel**AF1** CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)

Standard

\$ _____

Interior**SK** METRIC ODOMETER

Stand Alone

\$ _____

TS TILT STEERING

Stand Alone

\$ _____

CR CRUISE CONTROL

Stand Alone

\$ _____

Tires and Wheels**PLAB** TIRE PRESSURE MONITORING SYSTEM

N/A

\$ _____

TD DELETE SPARE TIRE ASSEMBLY

Stand Alone

\$ _____

TT ALL TERRAIN TREAD--REAR TIRES ONLY

Stand Alone

\$ _____

Delivery**CNS** CONSIGNEE DELIVERY (NO DEALER PREP)

Stand Alone

\$ _____

Delivery outside CONUS**CNSA** CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)

Stand Alone

\$ _____

CNSG CONSIGNEE DELIVERY GUAM (NO DEALER PREP)

Stand Alone

\$ _____

CNSH CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)

Stand Alone

\$ _____

Solicitation Number: M8-091004-N**4X2 STRIPPED CHASSIS, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	Stand Alone	\$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	\$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____

Solicitation Number: M8-091004-N**4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
134B.1	45 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: MT-45

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	N/A
MFG. MODEL CODE	MT45
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	14,200
WHEEL BASE min. in.	157

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	200
TORQUE (lb ft)	520
COOLING SYSTEM	COMPLY

Transmission

AUTOMATIC TRANSMISSION	ALLISON 5 SP
------------------------	--------------

Electrical

ALTERNATOR, MIN. (Amps)	130
BATTERY, MIN. (CCA)	700

Fuel

FUEL CAPACITY MIN GALLONS	30
---------------------------	----

Exterior

REAR VIEW MIRRORS	COMPLY
-------------------	--------

Doors and Windows

DOORS	2
KEYED DOOR LOCKS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

Solicitation Number: M8-091004-N**4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009**

	DAYTIME RUNNING LIGHTS	COMPLY
Interior		
	AIR CONDITIONING	COMPLY
	UPHOLSTERY	COMPLY
	POWER STEERING	COMPLY
Floor		
	FLOOR COVERING	COMPLY
Radio		
	AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats		
	SEATING CAPACITY min.	COMPLY
Safety		
	RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
	FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
	POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
Suspension		
	SUSPENSION/SHOCKS	COMPLY
Tires and Wheels		
	LOAD RANGE	F
	SPARE TIRE ASSEMBLY	FULL SIZE
	TIRES	225/70R19.5
Vendor Furnished Body Items		
	STEP TYPE REAR BUMPER	COMPLY
	BODY LENGTH, 14 FT	COMPLY
	BACK-UP ALARM	COMPLY
	INTERIOR PARTITION, SOLID TYPE	COMPLY
Warranty		
	OEM POWERTRAIN WARRANTY	2/UNLIMITED
	OEM COMPREHENSIVE WARRANTY	3/UNLIMITED
	CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 16,0001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
134F.1	3 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: MT-45

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	N/A
MFG. MODEL CODE	MT45
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	19,500
WHEEL BASE min. in.	178

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	200
TORQUE (lb ft)	520
COOLING SYSTEM	COMPLY

Transmission

AUTOMATIC TRANSMISSION	ALLISON 5 SP
------------------------	--------------

Electrical

ALTERNATOR, MIN. (Amps)	130
BATTERY, MIN. (CCA)	700

Fuel

FUEL CAPACITY MIN GALLONS	60
---------------------------	----

Exterior

REAR VIEW MIRRORS	COMPLY
-------------------	--------

Doors and Windows

DOORS	COMPLY
KEYED DOOR LOCKS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
DOORS	COMPLY

Solicitation Number: M8-091004-N**4X2 MULTISTOP VAN, MIN 16,0001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009****Lights and Lighting**

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
------------------	--------

UPHOLSTERY	COMPLY
------------	--------

POWER STEERING	COMPLY
----------------	--------

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	COMPLY
-----------------------	--------

Safety

RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
--	--------

FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
---	--------

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
---------------------------------------	--------

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
------------	---

SPARE TIRE ASSEMBLY	FULL SIZE
---------------------	-----------

TIRES	225/70R19.5
-------	-------------

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
-----------------------	--------

BODY LENGTH, 16 FT	COMPLY
--------------------	--------

BACK-UP ALARM	COMPLY
---------------	--------

INTERIOR PARTITION, SOLID TYPE	COMPLY
--------------------------------	--------

Warranty

OEM POWERTRAIN WARRANTY	2/UNLIMITED
-------------------------	-------------

OEM COMPREHENSIVE WARRANTY	3/UNLIMITED
----------------------------	-------------

CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY
-----------------------------------	--------

Solicitation Number: M8-091004-N**4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR, HEV IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 20**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
134H.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: MT-45

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE:

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	N/A
MFG. MODEL CODE	MT45
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	14,200
WHEEL BASE min. in.	157

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	200
TORQUE (lb ft)	520
COOLING SYSTEM	COMPLY

Alternative Fuel Engines

HYBRID ELECTRIC VEHICLE	COMPLY
-------------------------	--------

Transmission

AUTOMATIC TRANSMISSION	ALLISON 5 SP
------------------------	--------------

Electrical

ALTERNATOR, MIN. (Amps)	130
BATTERY, MIN. (CCA)	700

Fuel

FUEL CAPACITY MIN GALLONS	30
---------------------------	----

Exterior

REAR VIEW MIRRORS	COMPLY
-------------------	--------

Doors and Windows

DOORS	1
KEYED DOOR LOCKS	COMPLY

Solicitation Number: M8-091004-N**4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR, HEV IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 20**

WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
UPHOLSTERY	VINYL
POWER STEERING	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	2
Safety	
RESTRAINT SYSTEM, ALL SEATED POSITIONS	Comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	N/A
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	225/70R19.5
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 14 FT	COMPLY
BACK-UP ALARM	COMPLY
INTERIOR PARTITION, SOLID TYPE	COMPLY
Warranty	
BATTERY PACK WARRANTY	5/60000
OEM POWERTRAIN WARRANTY	2/UNLIMITED
OEM COMPREHENSIVE WARRANTY	3/UNLIMITED
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000